Applicants: Philip O. Livingston and Friedhelm Helling

Serial No.: 08/196,154

Filed : November 16, 1995

Page 2

material is in brackets and the inserted material is underlined is attached hereto as **Exhibit A**:

~--88.

(Amend) The composition of claim 78, wherein the amount of the saponin is an amount between about 10 ug and about 200 ug.--

5 13/194.

(Amended) A method of treating a cancer in a subject which comprises administering to the subject an effective cancer treating amount of a composition which comprises:

- a) conjugate of i) a GM2 or GD2 qanqlioside derivat\ive which comprises unaltered an oligosackaride part and an altered ceramide portion, to ii) Keyhole Limpet Hemocyanin;
- b) a saponin derivable from the bark of a Quillaja saponaria Molina tree; and
- c) a pharmaceutically acceptable carrier; the relative amounts of such conjugate and such saponin being effective to stimulate or enhance antibody production in the subject,

wherein in the conjugate the ganglioside derivative is conjugated to Keyhole Limpet Hemocyanin through a ceramide-derived carbon of the ganglioside derivative to Keyhole Limpet Hemocyanin, so as to thereby treat the cancer in the subject.--

- of epithelial origin.-- ;
- --96. (Amended) The method of claim 94, wherein the cancer is

12